

Ниппели, муфты, заглушки

Ниппель



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0101	1/2"x1/2"HH	-30/+130	25	300/10	30
RF-0101	3/4"x3/4"HH	-30/+130	25	200/10	45
RF-0101	1"x1"HH	-30/+130	25	80/10	91
RF-0101	1-1/4"x1-1/4"HH	-30/+130	25	40	144
RF-0101	1-1/2"x1-1/2"HH	-30/+130	25	40	173
RF-0101	2"x2"HH	-30/+130	25	24	264

Пробка



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0201	1/2"H	-30/+130	25	400/10	26,2
RF-0201	3/4"H	-30/+130	25	250/10	39,1
RF-0201	1"H	-30/+130	25	160/10	67,5
RF-0201	1-1/4"H	-30/+130	25	75	125,1
RF-0201	1-1/2"H	-30/+130	25	60	164,2
RF-0201	2"H	-30/+130	25	80	287,5

Ниппель переходной




Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0102	1/2"x3/8"HH	-30/+130	25	200/10	28
RF-0102	3/4"x1/2"HH	-30/+130	25	200/10	42
RF-0102	1"x1/2"HH	-30/+130	25	100/10	84
RF-0102	1"x3/4"HH	-30/+130	25	100/10	86
RF-0102	1-1/4"x1/2"HH	-30/+130	25	60	127
RF-0102	1-1/4"x3/4"HH	-30/+130	25	60	131
RF-0102	1-1/4"x1"HH	-30/+130	25	60	140
RF-0102	1-1/2"x1/2"HH	-30/+130	25	50	152
RF-0102	1-1/2"x3/4"HH	-30/+130	25	50	164
RF-0102	1-1/2"x1"HH	-30/+130	25	40	173
RF-0102	1-1/2"x1-1/4"HH	-30/+130	25	30	185
RF-0102	2"x1/2"HH	-30/+130	25	35	263
RF-0102	2"x3/4"HH	-30/+130	25	30	266
RF-0102	2"x1"HH	-30/+130	25	30	264
RF-0102	2"x1-1/4"HH	-30/+130	25	30	278
RF-0102	2"x1-1/2"HH	-30/+130	25	30	280

Муфта переходная



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0402	1/2"x3/8"BB	-30/+130	25	400/10	44
RF-0402	3/4"x1/2"BB	-30/+130	25	200/10	67
RF-0402	1"x1/2"BB	-30/+130	25	150/10	99
RF-0402	1"x3/4"BB	-30/+130	25	120/10	126
RF-0402	1-1/4"x1/2"BB	-30/+130	25	80	242
RF-0402	1-1/4"x3/4"BB	-30/+130	25	90	213
RF-0402	1-1/4"x1"BB	-30/+130	25	80	176
RF-0402	1-1/2"x1/2"BB	-30/+130	25	90	226
RF-0402	1-1/2"x3/4"BB	-30/+130	25	80	216
RF-0402	1-1/2"x1"BB	-30/+130	25	60	317
RF-0402	1-1/2"x1-1/4"BB	-30/+130	25	72	248
RF-0402	2"x3/4"BB	-30/+130	25	64	296
RF-0402	2"x1"BB	-30/+130	25	40	476
RF-0402	2"x1-1/4"BB	-30/+130	25	40	408
RF-0402	2"x1-1/2"BB	-30/+130	25	40	344

Заглушка



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0301	1/2"В	-30/+130	25	400/10	24,4
RF-0301	3/4"В	-30/+130	25	250/10	42,3
RF-0301	1"В	-30/+130	25	160/10	54,6
RF-0301	1-1/4"В	-30/+130	25	75	109,1
RF-0301	1-1/2"В	-30/+130	25	60	147,7
RF-0301	2"В	-30/+130	25	50	252,8

Муфта



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0401	1/2"x1/2"BB	-30/+130	25	150/10	47,2
RF-0401	3/4"x3/4"BB	-30/+130	25	100/10	74,8
RF-0401	1"x1"BB	-30/+130	25	60/10	128,8
RF-0401	1-1/4"x1-1/4"BB	-30/+130	25	32	175,6
RF-0401	1-1/2"x1-1/2"BB	-30/+130	25	24	250
RF-0401	2"x2"BB	-30/+130	25	12	318



Фитинги, угольники, контргайки

Фитинг «Футорка»



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0502	1/2"x1/4"HB	-30/+130	25	300/10	20
RF-0502	1/2"x3/8"HB	-30/+130	25	300/10	27
RF-0502	3/4"x1/2"HB	-30/+130	25	300/10	27
RF-0502	1"x1/2"HB	-30/+130	25	100/10	85
RF-0502	1"x3/4"HB	-30/+130	25	160/10	55
RF-0502	1-1/4"x1/2"HB	-30/+130	25	80	197
RF-0502	1-1/4"x3/4"HB	-30/+130	25	80	161
RF-0502	1-1/4"x1"HB	-30/+130	25	80	107
RF-0502	1-1/2"x1/2"HB	-30/+130	25	60	289
RF-0502	1-1/2"x3/4"HB	-30/+130	25	60	250
RF-0502	1-1/2"x1"HB	-30/+130	25	60	195
RF-0502	1-1/2"x1-1/4"HB	-30/+130	25	60	102
RF-0502	2"x1/2"HB	-30/+130	25	50	495
RF-0502	2"x3/4"HB	-30/+130	25	40	467
RF-0502	2"x1"HB	-30/+130	25	40	408
RF-0502	2"x1-1/4"HB	-30/+130	25	40	310
RF-0502	2"x1-1/2"HB	-30/+130	25	40	230

Фитинг «Лейка»



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0501	1/2"x3/8"BH	-30/+130	25	300/10	29,8
RF-0501	3/4"x1/2"BH	-30/+130	25	150/10	63,3
RF-0501	1"x1/2"BH	-30/+130	25	100/10	69,1
RF-0501	1"x3/4"BH	-30/+130	25	100/10	73,3
RF-0501	1-1/4"x1/2"BH	-30/+130	25	80	131,6
RF-0501	1-1/4"x3/4"BH	-30/+130	25	75	137,6
RF-0501	1-1/4"x1"BH	-30/+130	25	70	149
RF-0501	1-1/2"x1/2"BH	-30/+130	25	120	167
RF-0501	1-1/2"x3/4"BH	-30/+130	25	120	170
RF-0501	1-1/2"x1"BH	-30/+130	25	120	178
RF-0501	1-1/2"x1-1/4"BH	-30/+130	25	72	190
RF-0501	2"x1"BH	-30/+130	25	60	247
RF-0501	2"x1-1/4"BH	-30/+130	25	60	254
RF-0501	2"x1-1/2"BH	-30/+130	25	60	251

Угольник



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0701	1/2"x1/2"BB	-30/+130	25	240/10	74
RF-0701	3/4"x3/4"BB	-30/+130	25	120/10	122
RF-0701	1"x1"BB	-30/+130	25	60/10	214
RF-0701	1-1/4"x1-1/4"BB	-30/+130	25	32	304
RF-0701	1-1/2"x1-1/2"BB	-30/+130	25	32	418
RF-0701	2"x2"BB	-30/+130	25	16	704
RF-0702	1/2"x1/2"BH	-30/+130	25	100/10	76
RF-0702	3/4"x3/4"BH	-30/+130	25	50/10	150
RF-0702	1"x1"BH	-30/+130	25	32	212
RF-0702	1-1/4"x1-1/4"BH	-30/+130	25	16	314
RF-0702	1-1/2"x1-1/2"BH	-30/+130	25	10	417
RF-0702	2"x2"BH	-30/+130	25	8	913

Удлинитель хромированный



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0801	1/2"x1/2"x10мм BH	-30/+130	25	200/10	35
RF-0801	1/2"x1/2"x15мм BH	-30/+130	25	200/10	45
RF-0801	1/2"x1/2"x20мм BH	-30/+130	25	150/10	55
RF-0801	1/2"x1/2"x25мм BH	-30/+130	25	40	65
RF-0801	1/2"x1/2"x30мм BH	-30/+130	25	100/10	75
RF-0801	1/2"x1/2"x40мм BH	-30/+130	25	100/10	95
RF-0801	1/2"x1/2"x50мм BH	-30/+130	25	80/10	115
RF-0801	1/2"x1/2"x60мм BH	-30/+130	25	60/10	135
RF-0801	1/2"x1/2"x80мм BH	-30/+130	25	40	175

Контргайка с фланцем



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0901	1/2"В	-30/+130	25	400/10	35
RF-0901	3/4"В	-30/+130	25	400/10	57
RF-0901	1"В	-30/+130	25	200/10	86

Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0901	1-1/4"В	-30/+130	25	120	113
RF-0901	1-1/2"В	-30/+130	25	125	134
RF-0901	2"В	-30/+130	25	80	158



Сгоны, тройники

Тройник



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-0601	1/2"x1/2"x1/2"BBB	-30/+130	25	160/10	97
RF-0601	3/4"x3/4"x3/4"BBB	-30/+130	25	100/10	167
RF-0601	1"x1"x1"BBB	-30/+130	25	50	258

Сгон прямой



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-1001	1/2"x1/2"ВН	-30/+130	25	120/10	90
RF-1001	3/4"x3/4"ВН	-30/+130	25	60/10	172
RF-1001	1"x1"ВН	-30/+130	25	30/10	271
RF-1001	1-1/4"x1-1/4"ВН	-30/+130	25	20	429
RF-1001	1-1/2"x1-1/2"ВН	-30/+130	25	16	685
RF-1001	2"x2"ВН	-30/+130	25	9	1113

Сгон угловой



Артикул	Диаметр	Tmin/ max(°C)	Макс. давл. (бар)	Упаковка (к/уп.)	Вес (г)
RF-1002	1/2x1/2"ВН	-30/+130	25	160/10	138
RF-1002	3/4x3/4"ВН	-30/+130	25	70/10	219
RF-1002	1x1"ВН	-30/+130	25	50	331
RF-1002	1-1/4x1-1/4"ВН	-30/+130	25	30	508

